KFN 4375 DD
Freestanding fridge-freezer
with DailyFresh, NoFrost and ComfortClean for great convenience.



- Spacious drawer with moisture control – DailyFresh
- No icing up of food and no need to defrost thanks to NoFrost
- Uniform temperature distribution inside the appliance – DynaCool
- Two separate air circuits for optimum cooling – DuplexCool
- Dishwasher-safe door shelves – ComfortClean

EAN: 4002516515968 / Material number: 11949890 /
Old Material Number: 38437540AUS

General information	
Model identifier	KFN 4375 DD
Manufacturer material number	11949890
EAN number	4002516515968
Marketing class	Silver
Appliance category	
Fridge-freezer	•
Construction type	
Freestanding appliance	•
Door hinge	right
Convertible door hinging	•
Design	
Casing colour	Silver
Front colour	Stainless steel/CleanSteel
User convenience	
Fridge zone lighting	LED
Freshness system	DailyFresh
Door opening aid	SideOpen
ComfortClean	•
ComfortSize	•
DynaCool	•
Party mode	•
Holiday mode	•
NoFrost	•
DuplexCool	•
Control system	
Operating concept	SensorTouch
Precise adjustment	Fridge and freezer temperature
Fridge compartment can be switched off	Yes
Independent temperature regulation of fridge and freezer zones	Yes
SuperCool	•
SuperFreeze	•
No. of temperature zones	2
Sabbath mode	•
Fridge/Fridge section	
No. of shelves	4
No. of crisper drawers	1
Number of inner door racks for tinned food	2
Door rack for bottles	1
Door shelves	3
Freezer/Freezer section	
Number of freezer drawers	3
Safety	
Lock function	•
Acoustic door alarm	•
Acoustic temperature alarm	•


KFN 4375 DD
Freestanding fridge-freezer
with DailyFresh, NoFrost and ComfortClean for great convenience.



EAN: 4002516515968 / Material number: 11949890 /
Old Material Number: 38437540AUS


Optical door alarm	•
Optical temperature alarm	•
Power cut indication for freezer section	•
Technical data	
Appliance width in mm	597
Appliance height in mm	1855
Appliance depth in mm	675
Weight in kg	76,2
Climate range	SN-T
Refrigerator compartment in l	227
4* freezer compartment in l	103
Total usable capacity in l	330
Storage time in case of fault in h	20
Current consumption (mA)	1400
Voltage in V	220-240
Fuse rating in A	10
Number of phases	1
Frequency in Hz	50-60
Length of supply lead in m	2,0
Replacing lamps	Service
Accessories included	
Egg tray	•
Water filter	Nein
Ice cube tray	•

KFN 4375 DD
Freestanding fridge-freezer
with DailyFresh, NoFrost and ComfortClean for great convenience.




KFN4375DD, KFN4375DD C, KFN4375CD, KFN4377DD, KFN4377CD, installation sketch

*To achieve the declared energy consumption, the spacers supplied with the unit must be used. This increases the depth of the unit by approx. 15 mm. The unit is fully functional without the use of the spacers, but has a slightly higher energy consumption.




KFN4271CD, KFN4375DD, KFN4395DD, KFN4393FD, KFN4393D, KFN4377DD, KS4383ED, K4373ED, FN4312E, top view

*To achieve the declared energy consumption, the spacers supplied with the unit must be used. This increases the depth of the unit by approx. 15 mm. The unit is fully functional without the use of the spacers, but has a slightly higher energy consumption.



KFN4271CD, KFN4375DD, KFN4375DD C, KFN4375CD, KFN4377DD, KFN4377CD, installation

1. View from the front, 2. Mains connection cable, L = 2200 mm



Integrating freestanding refrigeration appliance in a run of kitchen units, edt/cs, ws, bst, el

1. Top box, 2. Refrigeration appliance, door depth = 75 mm , 3. Housing unit, 4. Wall, A = 25 mm (with recessed grip)/60 mm (with handle), The appliance depth is increased by approx. 15 mm for refrigeration appliances with wall spacers fitted.